Hydrobiologia **358:** v–viii, 1997.
A. Hagiwara, T.W. Snell, E. Lubzens & C.S. Tamaru (eds), Live Food in Aquaculture.

Contents

Photograph of Professor Kazutsugu Hirayama ix

Preface ..... xi–xiv

Professor Kazutsugu Hirayama – A personal appreciation
by C. E. King ..... xv–xvii

Part I. Present Status of Larval Rearing in the World

The status of marine fish larval-rearing technology in Australia
by S. Battaglene & S. Fielder 1–5

Development and achievements of marine fish-rearing technology in France over the last 15 years
by B. Chatain 7–11

Mariculture in Israel – past achievements and future directions in raising rotifers as food for marine fish larvae
by E. Lubzens, G. Minkoff, Y. Barr & O. Zmora 13–20

Present status of larval-rearing technology in Korea
by S.-B. Hur 21–26

Larval-rearing technology of marine species in Norway
by Y. Olsen 27–36

Collection and culture of live foods for aquaculture in Taiwan
by H.-M. Su, M.-S. Su & I.-C. Liao 37–40

Status of marine larviculture in Thailand
by T. Pechmanee 41–43

Marine finfish hatchery technology in the U.S.A. – status and future
by C.-S. Lee 45–54

Part II. Marine Rotifers

A. Fundamentals of Rotifer Science

Effects of asexual reproduction on the neighborhood area of cyclical parthenogens
by C. E. King & P. Murtaugh 55–62

Speciation in monogonont rotifers
by M. Serra, A. Galiana & A. Gómez 63–70

Comparative binding of antibody to a mate recognition pheromone on female *Brachionus plicatilis* and *Brachionus rotundiformis* (Rotifera)
by R. Rico-Martínez & T.W. Snell 71–76
Nitrogen-flow in the rotifer *Brachionus rotundiformis* and its significance in mass cultures
by A. Hino, S. Aoki & M. Ushiro 77–82
Energy content of rotifers (*Brachionus plicatilis* and *Brachionus rotundiformis*) in relation to temperature
by M. Yúfera, G. Parra & E. Pascual 83–87
Some properties of ß-1,3-glucan hydrolyzing enzymes from the rotifer *Brachionus plicatilis*
by K. Hara, H. Pangkey, K. Osatomi, K. Yatsuda, A. Hagiwara, K. Tachibana & T. Ishihara 89–94
Ultrastructure of the rotifer *Brachionus plicatilis*
by J.-P. Yu & S.-J. Cui 95–103
Genetic variation among marine *Brachionus* strains and function of mate recognition pheromone (MRP)
by T. Kotani, A. Hagiwara & T.W. Snell 105–112
Effect of some vertebrate and invertebrate hormones on the population growth, mictic female production, and body size of the marine rotifer *Brachionus plicatilis* Müller
by W.G. Gallardo, A. Hagiwara, Y. Tomita, K. Soyano & T.W. Snell 113–120
Interspecific interactions in the marine rotifer microcosm
by M.-M. Jung, A. Hagiwara & K. Hirayama 121–126
Algae and rotifer turbidostats: studies on stability of live feed cultures
by N. Walz, T. Hintze & R. Rusche 127–132

B. Applied Area of Rotifer Science

Application of unicellular algae *Chlorella vulgaris* for the mass-culture of marine rotifer *Brachionus*
by I. Maruyama, T. Nakao, I. Shigeno, Y. Ando & K. Hirayama 133–138
Recent development of a high density mass culture system for the rotifer *Brachionus rotundiformis* Tschugunoff
by K. Yoshimura, K. Usuki, T. Yoshimatsu, C. Kitajima & A. Hagiwara 139–144
Development of a continuous culture system for stable mass production of the marine rotifer *Brachionus*
by Y. Fu, A. Hada, T. Yamashita, Y. Yoshida & A. Hino 145–151
Preliminary results in improving essential fatty acids enrichment of rotifer cultured in high density
by T. Yoshimatsu, H. Imoto, M. Hayashi, K. Toda & K. Yoshimura 153–157
Lipid and fatty acid content in cultivated live feed organisms compared to marine copepods
by J.O. Evjemo & Y. Olsen 159–162
Preservation of resting eggs of the euryhaline rotifer *Brachionus plicatilis* O.F. Müller by canning
by M. D. Balompapueng, A. Hagiwara, Y. Nozaki & K. Hirayama 163–166

Temperature conditions enhancing resting egg production of the euryhaline rotifer *Brachionus plicatilis* O.F. Müller (Kamiura strain)
by T. Kogane, A. Hagiwara & K. Imaizumi 167–171
Live food production using batch culture and chemostat systems in Kuwait
by T. S. Abu-Rezq, J. Al-Shimmari & P. Dias 173–178
Infectious diseases affecting mass production of the marine rotifer *Brachionus plicatilis*
by M. Comps & B. Menu 179–183

Part III. Other Live Food Organisms

Stimulative and inhibitory effects of bacteria on the growth of microalgae
by K. Fukami, T. Nishijima & Y. Ishida 185–191
The potential of freshwater Anostraca for technical applications
by H.J. Dumont & N. Munuswamy 193–197
Culturing the fairy shrimp *Streptocephalus dichotomus* Baird using livestock waste – a reclamation study
by N. Munuswamy, A.K.A. Nazar, C.S. Velu, & H.J. Dumont 199–203
Effect of algal addition on stability of fatty acids in enriched *Artemia franciscana*
by A.I. Olsen, A. Jensen, J.O. Evjemo & Y. Olsen 205–210
A study of the freshwater rotifer *B. calyciflorus* in Pekanbaru, Riau, Indonesia
by T. Dahril 211–215
Optimum medium for large-scale culture of *Tetraselmis tetrathele*
by M. Okauchi & K. Kawamura 217–222
Application of a growth-promoting bacteria for stable mass culture of three marine microalgae
by Suminto & K.Hirayama 223–230
Semi-mass culture of the dinoflagellate *Gymnodinium splendens* as a live food source for the initial feeding of marine finfish larvae
by E.M. Rodriguez & K. Hirayama 231–235
Culture of *Tetraselmis tetrathele* and its utilization in the hatchery production of different penaeid shrimps in Asia
by J.D. Ronquillo, J.R. Matias, T. Saisho & S. Yamasaki 237–244
Continuous culture with deep seawater of a benthic food diatom *Nitzschia* sp.
by K. Fukami, S. Nishimura, M. Ogusa, M. Asada & T. Nishijima 245–249

Part IV. Larval Rearing

Protein and lipid content of the rotifer *Brachionus plicatilis* during variable growth and feeding condition
by G. Øie & Y. Olsen 251–258
Preliminary investigation of feeding performance of larvae of early red-spotted grouper, *Epinephelus coioides*, reared with mixed zooplankton
by M. Doi, J.D. Toledo, M.S.N. Golez, M. de los Santos & A. Ohno 259–263

Essential fatty acid profiles of maturation feeds used in freshwater ornamental fish culture
by C.S. Tamaru, H. Ako & R. Paguirigan 265–268
Use of the rotifer, *Brachionus calyciflorus* Pallas, in freshwater ornamental fish larviculture
by L.C. Lim & C.C. Wong 269–273
Studies on the factors influencing larval settlement in *Balanus amphitrite* and *Mytilus galloprovincialis*
by C.G. Satuito, K. Shimizu & N. Fusetani 275–280
Induction of larval metamorphosis in the sea cucumber *Stichopus japonicus* by periphitic diatoms
by S. Ito & H. Kitamura 281–284
The concept of biological control methods in aquaculture
by M. Maeda, K. Nogami, M. Kanematsu & K. Hirayama 285–290
Biocontrol method in aquaculture for rearing the swimming crab larvae *Portunus trituberculatus*
by K. Nogami, K. Hamasaki, M. Maeda & K. Hirayama 291–295
Preliminary results on the effects of salinity and settling conditions on megalopal metamorphosis of fiddler crab *Ilyoplax pusilla*
by B.-K. Lim 297–299
Preliminary results of providing various combinations of live foods to grouper (*Epinephelus coioides*) larvae
by H.-M. Su, M.-S. Su & I.-C. Liao 301–304
Characteristics of Palinurids (Decapoda; Crustacea) in larval culture
by J. Kittaka & F.A. Abrunhosa 305–311
Effects of feeding of ß-carotene-supplemented rotifers on survival and lymphocyte proliferation reaction of fish larvae (Japanese parrotfish (*Oplegnathus fasciatus*) and Spotted parrotfish (*Oplegnathus punctatus*)): preliminary trials
by K. Tachibana, M. Yagi, K. Hara, T. Mishima & M. Tsuchimoto 313–316
Role of Godavari mangroves (India) in the production and survival of prawn larvae
by P. Chandra Mohan, R.G. Rao & F. Dehairs 317–320
Larval-rearing and growout of the red porgy (*Pagrus pagrus*) in the Riopesca hatchery (Greece)
by P. Kolios, S. Kiritsis & N. Katribusas 321–325

Author Index 327–328